



**STATE INSTITUTE OF HOTEL MANAGEMENT AND CATERING TECHNOLOGY  
(JOINTLY SPONSORED BY GOVT. OF INDIA & GOVT. OF TAMILNADU)  
THUVAKUDI, TIRUCHIRAPPALLI- 620 015.**

**TENDER DOCUMENT**

**for**

**SUPPLY, INSTALLATION, TESTING AND COMMISSIONING OF KITCHEN EQUIPMENT AT  
STATE INSTITUTE OF HOTEL MANAGEMENT AND CATERING TECHNOLOGY**

**Single-Stage: Two-Envelope**

**Bidding Procedure**

**Volume 2-Price Bid Documents**

**Issued on :**

**Invitation for Tender No : SIHMCT/tender-1/2018-19 Dated: 11.5.2018**

**Purchaser :** The Commissioner of Tourism/  
Chairperson of the Procurement Committee  
State Institute of Hotel Management and Catering Technology,  
Thuvakkudi, Tiruchirappalli – 620 015.  
Telephone: 0431-2500660 / 2500 960  
E-mail: [sihmct1@gmail.com](mailto:sihmct1@gmail.com)  
[dotdepartment@gmail.com](mailto:dotdepartment@gmail.com)

Intentionally left blank

**STATE INSTITUTE OF HOTEL MANAGEMENT AND CATERING TECHNOLOGY**  
**(Jointly Sponsored By Govt. of India & Govt. of Tamil Nadu)**  
**THUVAKUDI, TIRUCHIRAPPALLI- 620 015.**

**Supply, Installation, Testing and Commissioning of Kitchen Equipment at State Institute of Hotel Management and Catering Technology.**

**Invitation for Tender No : SIHMCT/tender-1/2018-19**

**Dated: 11.5.2018**

**Name of Bidder: .....**

**Bill of Quantities**

S.No	Description of Work	Unit	Qty	Unit Rate		GST in %	Total Cost Including Taxes
				In figure	In words		
1	<b>FOUR BURNER GAS RANGE</b> OVER ALL SIZE : 2 ½ ' x 2 ½' x 33" Ht Frame:1¼" x 1¼" SS Angle Frame Top:Made out of 304 Grade 16S WG SS sheet, 18SWG SS side panelling on 4 sides. Spill tray of 18 SWG SS sheet LP gas Accessories inbuilt (Domestic burner with individual control valves and heavy duty cast iron pan support) Legs: 38 mm outer dia16 SWG SS Pipe legs with adjustable Nylon bushes.	No	25				

2	<b>WORK TABLE</b> SIZE : 3 ½ x 2 ½' x 33"ht Top : Made out of 304 Grade 16 SWG SS sheet One under shelf made of 18 SWG SS-304 sheet Legs: 38 mm outer dia 16 SWG SS Pipe legs with adjustable Nylon bushes.	No	15				
3	<b>SINKS</b>						
	SINK: SIZE: 42" x 18" (Sink size : 14"x14"x10"depth)	No	2				
	SINK:SIZE : 39" x 18" (Sink size : 14"x14"x10"depth)	No	1				
	SINK:SIZE: 60" x 18" (Sink size : 14"x14"x10"depth)	No	4				
	SINK:SIZE: 36" x 18" (Sink size : 14"x14"x10"depth)	No	3				
	SINK:SIZE: 90" x 18"(Sink size : 18"x14"x10"depth)	No	1				
	SINK:SIZE 76" x 18"(Sink size : 18"x14"x10"depth)	No	1				

	SINK:SIZE: 47" x 18"(Sink size : 18"x14"x10"depth)	No	1				
	SIZE: 50" x 18"(Sink size : 18"x14"x10"depth)	No	1				
4	<p><b>S.S. CUPBOARD TABLE</b>            SIZE : 4' x 1 ¾' x 33"Ht            Top: Made out of 16 SWG 304 grade SS Sheet.            Middle and bottom sheet made of 18 SWG 304 grade SS Sheet.            Three sides covered with 18 SWG 304 grade SS Sheet.            Front side sliding double door with locking facility.            Legs: 38 mm outer dia 16 SWG SS Pipe legs with adjustable Nylon bushes.</p>	No	4				
5	<p><b>S.S. CUPBOARD TABLE</b>            SIZE : 3' x 1 ¾' x 33"ht            Top: Made out of 16 SWG 304 grade SS Sheet.            Middle and bottom sheet made of 18 SWG 304 grade SS Sheet. Three sides covered with 18 SWG 304 grade SS Sheet. Front side sliding double door with locking facility.            Legs: 38 mm outer dia 16 SWG SS Pipe legs with adjustable Nylon bushes</p>	No	2				

6	<p><b>SS STORAGE RACK ( 4 TIER )</b>          SIZE : 6' x 2' x 6'ht          Sheets made out of 16 SWG 304 grade SS Sheet.          16 SWG SS Pipe frame of 38 mm outer dia with floor adjustment nylon bushes</p>	No	3				
7	<p><b>SS THREE BAY PLATE WASH SINK</b>          SIZE : 5' x 2' x 33"ht          SINK SIZE : 16" x 16" x 12"depth, Splash guard of 6"ht behind, made out of 16 SWG 304 grade SS Sheet          Legs: 38 mm outer dia 16 SWG SS Pipe legs with adjustable Nylon bushes</p>	No	1				
8	<p><b>POT RACK</b>          SIZE: 3 ½' x 16" x 5 ½'          Five shelves rack- Sheets made of 16 SWG 304 grade SS, Frame is fabricated with 38 mm outer dia SS pipe</p>	No	1				
9	<p><b>SS DISTRIBUTION TABLE</b>          SIZE : 6' x 2' x 33"ht          Top is made of 16 SWG 304 grade SS Sheet.          Bottom sheet is made up of 18 SWG SS          Mounted on 38 mm outer dia SS Pipe legs with floor adjustment nylon bushes.</p>	No	3				

10	<p><b>SS STORAGE RACK ( 6 TIER )</b>          SIZE : 6' x 2' x 6'ht          All sheets are made of 16 SWG 304 grade SS Sheet.          Mounted on 38 mm outer dia SS Pipe legs with floor adjustment nylon bushes.</p>	No	3				
11	<p><b>S.S. CUPBOARD TABLE</b>          SIZE : 5' x 1 ¾' x 33"ht          Top 16 SWG 304 grade SS Sheet.          18 SWG 304 grade SS Sheet Middle &amp; Bottom sheets          Three side covering with 18 SWG 304 grade SS Sheet.          Front side sliding double door with locking facility.          Mounted on SS Pipe legs of 38 mm outer dia, with floor adjustment nylon bushes</p>	No	2				
12	<p><b>SS WORK TABLE</b>          SIZE : 4 ½' x 2 ½' x 33"ht          Top: Made out of 16 SWG 304 grade SS Sheet.          Under shelf is of 18SWG 304 grade SS          Mounted on SS Pipe legs of 38 mm outer dia with floor adjustment nylon bushes</p>	No	10				

13	<p><b>WORK TABLE</b>          SIZE : 3' x 2 ½' x 33"ht          Top : Made out of 304 Grade 16S WG SS sheet          One under shelf made of 18swg SS 304 sheet          Legs: 38 mm outer dia 16 SWG SS Pipe legs with adjustable Nylon bushes.</p>	No	10				
14	<p><b>WORK TABLE</b>          SIZE : 3' x 2' x 33"ht          Top : Made out of 304 Grade 16S WG SS sheet          One under shelf made of 18swg S.S-304 sheet          Legs: 38 mm outer dia 16 SWG SS Pipe legs with adjustable Nylon bushes.</p>	No	10				
15	<p><b>THREE BURNER GAS RANGE</b>          SIZE : 6' x 2' x 21"ht          Top made up of 16 SWG 304 grade SS Sheet          Four side panelling is made with 18 SWG 304 grade SS Sheet.          LP gas Accessories inbuilt ( T 35 with individual control valves and heavy duty cast iron pan support          Spill tray with 18 SWG 304 grade SS Sheet.          Mounted on 38 mm outer dia 16 SWG SS Pipe legs with floor adjustment nylon bushes.</p>	No	1				



16	<p><b>S.S.TANDOORI POT</b>          SIZE : 2 ½' x 2 ½' x 2 ¾' ht          Tandoor Pot with 16 SWG 304 grade SS sheet covering with Glass wool insulation, Gas operated Top &amp; all Sides insulated with non sagging mineral Glass wool 75 mm thick, sand and glass pieces package          Provision of Lid with Handle</p>	No	1				
17	<p><b><u>DOSA PLATE</u></b>          SIZE : 4' x 2 ½' x 33"ht          Made out of 38 mm outer dia SS pipe frame with 48"x 26"x 20 mm thick MS Polished plate on SS angle frame with two 'V' type LPG burners and independent control knob on side. 18 SWG SS 304 splash guard provided on three sides up to 6" height with drain board- 4" wide on rear and 3" on sides. One flame guard is provided with non sagging mineral glass wool as insulation material in 1.6 thick, panel in the front and rear with 18 SWG SS 304.          Adjustable Nylon Bushes for legs</p>	No	2				

18	<p><b>HOT PLATE WITH GRILL</b>          SIZE : 4' x 2 ½ ' x 33"ht          Made out of 38 mm outer dia SS pipe frame with 48"x 26"x 20 mm thick MS Polished plate on SS angle frame with two 'V' type LPG burners and independent control knob on side. 18 SWG SS 304 One flame guard is provided with non sagging mineral glass wool as insulation material in 1.6 thick, panel in the front and rear with 18 SWG SS 304          Hot plate size: 3' x 2 ½'          Grill size : 1' x 2 ½'          Adjustable Nylon Bushes for legs</p>	No	1				
19	<p><b>DOUBLE BURNER GAS COOKING RANGE</b>          SIZE : 4' x 22" x 21"ht          Made out of SS Angle frame ( 35 x 35 x 6 mm) with 16 SWG SS 304 Top, Side panel and spill tray made with 18 SWG SS 304. Mounted on SS pipe of 38 mm outer dia with adjustable Nylon Bushes. T 35 burners with one sq. and one round cast iron pan supports          Individual control knobs.          legs with floor adjustable nylon bushes.</p>	No	1				

20	<p><b>SINGLE BURNER SOUTH INDIAN GAS COOKING RANGE</b></p> <p>SIZE : 22” x 22” x 21”ht</p> <p>Made out of SS Angle frame ( 35 x 35 x 6 mm) with 16 SWG SS 304 Top, Side panel and spill tray made with 18 SWG SS 304. Mounted on SS pipe of 38 mm outer dia with adjustable Nylon Bushes. T 35 burners with sq. cast iron pan supports. Individual control knobs.</p>	No	2				
21	<p><b>GRINDER</b></p> <p>10 Lit, body made up of 20 SWG SS 304 sheet, 100% copper motor of well- known brand</p>	No	1				
22	<p><b>GRINDER</b></p> <p>5 Lit, body made up of 20 SWG SS 304 sheet, 100% copper motor of well-known brand</p>	No	1				
23	<p><b>IDLI BOX WITH BURNER AND STAND</b></p> <p>120- Idily's Box With Burner and Stand. Fully SS Overall size: 24" x 24" x 30" (L x B x H)</p>	No	1				

24	<p><b>BULK RICE COOKER</b>  Rice vessel - Capacity :20 Kgs.  304 Grade Inner body , Fabricated with thk-2mm salem stainless Steel  Bottom plate: 100mm-distance of the bottom plate for effective Filtration of khanji bottom plate with ball valve Fitted in the 1”drainage nozzle.  Handle: Salem stainless pipe tilting handle 25 mm dia&amp; Locking arrangements.  Bottom: S.S. Perforate sheet welded and should be double jacketed.  Attachment: Cleaning nipple, steam inlet, drain pipe, wheel valve  Side arms: Dia-65mm SS support rod &amp; steam inlet connection, Flanges will be made out of thick SS plates  Lid: 1.25mm stainless steel sheet-304 grade.  Mounted on: 2” SS Tubular stand."</p>	No	1				
25	<p><b>COOLING RACK</b>  Size” 4’ L x 2 ½’ W x 5 ½’ H  Frame made up of 16 SWG 304 grade SS  Shelves made up of SS wire  ( rack should be as shown)</p>	No	1				

26	<b>MEAT MINCER</b> 304 stainless steel material ,220 V by 110 V, 650W equipped with protection devices, 41 cm height x 26 cm width x 40 cm length, yield 100-200 kg per hour	No	1					
27	<b>COCONUT SCRAPER</b> Stainless steel body with stand, high quality 1/4 hp motor used for 50 coconut per hour	No	1					
<b>Grand Total</b>								

**Important Note** :On award of order supply, the successful Tenderer(s) should supply and install the items ordered at different locations where these items are required in the premises of SIHMCT at free of cost and no transportation cost, loading, unloading, and installation charges etc will be paid by the Institute failing which the order will be cancelled and EMD will be forfeited. Therefore the rate should be inclusive of all expenses mentioned above.

Signature of the Tenderer with Seal.